


B/  
gfw



Practitioner's Docket No. ST8012US

PATENT

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re application of: Michael A. Centanni et al.

Application No.: 10/663,593

Group No.: 1744

Confirmation No.: 3283

Filed: September 16, 2003

Examiner: Elizabeth L. McKane

For: SENSOR FOR DETERMINING CONCENTRATION OF FLUID STERILANT

**MAIL STOP ISSUE FEE**

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

**LETTER ACCOMPANYING AMENDMENT AFTER ALLOWANCE (37 C.F.R. § 1.312)**

1. Please make the amendments or consider the items shown in the attached papers in this application in the claims.

2. Type of amendment:

Correction of formal matters

As shown in the remarks of the attached paper, these (1) amendments are needed for proper disclosure or protection of the invention and (2) require no substantial amount of additional work on the part of the U.S. Patent and Trademark Office.

**CERTIFICATION UNDER 37 C.F.R. §§ 1.8(a) and 1.10\***

*(When using Express Mail, the Express Mail label number is mandatory;  
Express Mail certification is optional.)*

I hereby certify that, on the date shown below, this correspondence is being:

**MAILING**

XX deposited with the United States Postal Service in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

**37 C.F.R. § 1.8(a)**


XX with sufficient postage as first class mail.

**37 C.F.R. § 1.10\***

\_\_\_ as "Express Mail Post Office to Addressee"  
Mailing Label No. \_\_\_\_\_ (mandatory)

**TRANSMISSION**

\_\_\_ facsimile transmitted to the Patent and Trademark Office, (571) 273 - 8300.

  
Signature

Date: April 3, 2007

Christine Goellner  
(type or print name of person certifying)

\* Only the date of filing (' 1.6) will be the date used in a patent term adjustment calculation, although the date on any certificate of mailing or transmission under ' 1.8 continues to be taken into account in determining timeliness. See ' 1.703(f). Consider "Express Mail Post Office to Addressee" (' 1.10) or facsimile transmission (' 1.6(d)) for the reply to be accorded the earliest possible filing date for patent term adjustment calculations.


3. The issue fee has not yet been paid.

4. Additional Fees

For any additional fees that may be required by the filing of this paper please charge Deposit Account No. 50-0537.

Date: April 3, 2007

Reg. No.: 31,115  
Tel. No.: 440-684-1090  
Customer No.: 22203

  
\_\_\_\_\_  
Signature of Practitioner  
Mark Kusner  
KUSNER & JAFFE  
Highland Place - Suite 310  
6151 Wilson Mills Road  
Highland Heights, Ohio 44143

U.S. Patent Application No. 10/663,593  
Amendment dated April 3, 2007  
NOTICE OF ALLOWABILITY mailed March 28, 2007



**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

IN THE APPLICATION OF : Michael A. Centanni et al.  
FOR : SENSOR FOR DETERMINING  
CONCENTRATION OF FLUID STERILANT  
  
SERIAL NO. : 10/663,593  
FILED : September 16, 2003  
CONFIRMATION NO. : 3283  
EXAMINER : Elizabeth L. McKane  
ART UNIT : 1744  
ATTORNEY DOCKET NO. : ST8012US

**MAIL STOP ISSUE FEE**  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**AMENDMENT AFTER ALLOWANCE UNDER 37 C.F.R. §1.312**

Dear Sir:

In response to the *Notice of Allowability* dated March 28, 2007, please amend the above-identified U.S. patent application as follows:

**Amendments to the Claims** are reflected in the listing of claims which begins on page 2 of this paper.

**Remarks/Arguments** begin on page 6 of this paper.